

## TWFULL (Patents Full-Text of Taiwan, Province of China)

<b>File Subject Coverage</b>	All patent-relevant areas of science and technology, i.e., all classes of the International Patent Classification		
<b>File Type</b>	Full-text		
<b>Features</b>	Thesauri	International Patent Classification (/IPC), Cooperative Patent Classification (/CPC)	
	<a href="#">Alerts (SDIs)</a>	Weekly or monthly (weekly is the default)	
	CAS Registry Number® Identifiers	<input type="checkbox"/>	SLART <input checked="" type="checkbox"/>
	<a href="#">Keep &amp; Share</a>	<input checked="" type="checkbox"/>	Structures <input type="checkbox"/>
<b>Record Content</b>	<ul style="list-style-type: none"> <li>• Database records comprise all documents published for one application. Records contain bibliographic data including patent applicant, inventor, and agent data, patent, application, priority, and related application data, IPC, CPC, and EPO/ICO classification codes, abstract, and full-text of description and claims.</li> <li>• Independent claims and claim groups are searchable for all claims in English.</li> <li>• Standardized and normalized patent assignee names are searchable in their own fields /PAS and /PAN.</li> <li>• Numeric values of 59 physical and chemical properties are searchable in about 20,000 variants of the base and additional units within all full text fields in English.</li> <li>• Key terms, indexed and displayed in the field /KT, enhance retrieval of relevant results, and make the evaluation of results more efficient. They are useful to broaden search scope more precisely than basic index searches.</li> <li>• Some of the full-text has been created by Optical Character Recognition (OCR) software. Therefore, a small number of characters may have been misinterpreted, or portions of the text may have been incompletely recognized.</li> <li>• Clipped images (mostly front-page images) are included when available.</li> </ul>		
<b>File Size</b>	<ul style="list-style-type: none"> <li>• More than 2.0 million family records with more than 2.55 million publications. More than 2.15 million front page images from 1951 to present (12/2022)</li> </ul>		
<b>Coverage</b>	<ul style="list-style-type: none"> <li>• Full-text of patent applications, granted patents and utility models published by the Taiwan Intellectual Property Office (TIPO) from 1950 onwards.</li> </ul>		
<b>Updates</b>	<ul style="list-style-type: none"> <li>• Weekly updates including IPC and CPC</li> <li>• New records are available about two weeks after publication date with the complete content</li> </ul>		
<b>Language</b>	<ul style="list-style-type: none"> <li>• English</li> <li>• Abstracts, detailed descriptions and claims are machine translated to English or from equivalent documents, titles are human translated.</li> </ul>		
<b>Database Producer</b>	LexisNexis Univentio BV Galileiweg 8 2333 BD Leiden The Netherlands Phone: (+31) 88-6390000 Email: <a href="mailto:customersupport@univentio.com">customersupport@univentio.com</a> Copyright Holder		

---

**Sources**

Patent applications, granted patents, utility models, and design patents by the Taiwan Intellectual Property Office (TIPO)

---

**User Aids**

- Online Helps (HELP DIRECTORY lists all help messages available)
  - Help for numeric property search: HELP NPS
  - Help for key terms: HELP KEY TERMS
  - Help for normalized patent assignee names: HELP PAN
  - Help for search fields Independent Claims and Claim Groups: HELP CLAIMS
  - STNGUIDE
- 

**Cluster**

- AEROTECH
- ALLBIB
- AUTHORS
- CORPSOURCE
- ENGINEERING
- FULLTEXT
- HPATENTS
- NPS
- PATENTS
- PNTTEXT

STN Database Clusters information:

<http://www.stn-international.com/en/customersupport/customer-support#cluster+%7C+subjects+%7C+features>

---

## Search and Display Field Codes

If multiple search terms are linked with the AND-operator, all terms are searched in the complete database record, i.e. in all publications referring to one application. For a search in a specific publication of the record, connect the search term and the patent kind code with the (L)-proximity operator, e.g. S BOREHOLE/AB, TI, CLM (L) TWA/PK limits the search to Taiwan applications TWA.

Fields that allow left truncation are indicated by an asterisk (\*).

### General Search Fields

Search Field Name	Search Code	Search Examples	Display Codes
Basic Index* (contains single words from title (TIEN), abstract (AB), detailed description (DETD), claims (CLM), main claims (MCLM), and key terms (KT) fields)	None or /BI	S TRANSISTOR AND ELECTRODE S ACOUSTIC SENSOR S ?TRANSFER?	TIEN, AB, ABEN, DETD, DETDEN, CLM, CLMEN, MCLM, MCLMEN, KT
Abstract*	/AB, /ABEN	S BOREHOLE/AB	AB
Accession Number	/AN	S 2000269/AN	AN
Agent	/AG	S BOLLI PETER/AG	AG
Application Country (WIPO code and text)	/AC	S TW/AC	AI
Application Date (1)	/AD	S AD=JAN 2011	AI
Application Kind Code	/AK	S TWA1/AK	AI
Application Number (2)	/AP (or /APPS)	S TW1918-120974/AP	AI
Application Number, Original	/APO	S TW000009/APO	APO
Application Year (1)	/AY	S AY>=2005	AI
Claims*	/CLM	S DERIVATION/CLM	CLM
Claims (English)	/CLMEN	S DERIVATION/CLMEN	CLMEN, CLM
Claims, Claim Groups	/CLM.CG	S DERIVATION/CLM.CG	CLMEN, CLM
Claims, Independent	/CLM.IC	S DERIVATION/CLM.IC	CLMEN, CLM
Cooperative Patent Classification (3)	/CPC	S C12N0009/CPC	CPC
Cooperative Patent Classification, Action Date	/CPC.ACD	S 20121113/CPC.ACD	CPC.TAB
Cooperative Patent Classification, Keyword	/CPC.KW	S C12N0009/CPC (S) I/CPC.KW	CPC.TAB
Cooperative Patent Classification, Version	/CPC.VER	S 20130101/CPC.VER	CPC.TAB
Data Entry Date (1)	/DED	S 20190930-20191031/DED	DED
Data Update Date (1)	/DUPD	S 20190827/DUPD	DUPD
Detailed Description	/DETD	S LASER/DETD	DETD
Detailed Description(English)	/DETDEN	S LASER/DETDEN	DETDEN
Document Type (code and text)	/DT (or /TC)	S PATENT/DT	DT
Entry Date (1)	/ED	E 20220101/ED	ED
Entry Date of Fulltext (1)	/EDTX	S EDTX>20191130	EDTX
EPC, Keyword Terms	/EPC.KW	S 221B/EPC.KW	EPC
European Patent Classification	/EPC	S H01L0021-285B4H2/EPC	EPC
Field Availability (4)	/FA	S ABEN/FA S AB.EQ/FA	FA
Graphic Image	/GI	S GI/FA	GI
International Patent Classification (Version 1-8) (ICM, ICS, IPCI, IPCR) (3)	/IPC	S A01B0037-00/IPC	ICM, ICS, IPCI, IPCR
International Patent Classification (Version 1-7) (ICM, ICS)	/IC	S A01B0037-00/IC	IC, ICM, ICS

## General Search Fields (cont'd)

Search Field Name	Search Code	Search Examples	Display Codes
Inventor Inventor, Country (WIPO code and text) IPC, Action Date IPC, Initial IPC, Keyword Terms IPC, Main	/IN (or /AU) /IN.CNY /IPC.ACD /IPCI /IPC.KW /ICM (or IPCM)	S SATIJN, DAVID P.E./IN S TW/IN.CNY S 13 JAN 2021/IPC.ACD S B21B0001/IPCI S INITIAL/IPC.KW S B01D0035-28/ICM	IN IN, IN.CNY IPC.TAB IPCI IPC.TAB ICM, IC
IPC, Reclassified IPC, Reform IPC, Secondary	/IPCR /IPC.REF /ICS (or IPCS)	S B21D0007-08/IPCR S A01B0001-22/IPC.REF S B65F0001-14/ICS	IPCR, IPC IPC.TAB ICS, IC
IPC, Version	/IPC.VER (or IC.VER)	S 7/IPC.VER	IPC.TAB
Key Terms Language (code and text) Language, Filing (code and text) Main Claim* Main Claim (English) Number of Claims <b>(1)</b> Number of Paragraphs in DETD (Detailed Description) <b>(1)</b> Patent Assignee <b>(5)</b>	/KT /LA /LAF /MCLM /MCLMEN /CLMN /DETN	S (LASER (3A) SOURCE?)/KT S CHINESE/LA S EN/LAF S LASER/MCLM S LASER/MCLMEN S 5-10/CLMN S 20-30/DETN	KT LA LAF MCLM MCLMEN CLMN DETN
Patent Assignee, Country Patent Applicant Normalized Patent Applicant Standardized	/PA (or /CS) /PA.CNY /PAN /PAS	S SAMSUNG/PA S TW/PA.CNY S SAMSUNG/PAN S SAMSUNG AEROSPACE INDUSTRIES/PAS	PA PA, PA.CNY PAN PAS
Patent Country (WIPO code and text) Patent Information Publication Type	/PC /PIT	S TW/PC S "TWB GRANTED PATENT OR PATENT OF ADDITION (FROM 19500101 ONWARDS)"/PIT	PI PIT
Patent Kind Code Patent Number <b>(2)</b>	/PK /PN (or /PATS)	S TWA/PK S TW2022035558/PN	PI PI
Patent Number, Original Patent Number/Kind Code Physical Properties Priority Country (WIPO code and text) Priority Date <b>(1)</b>	/PNO /PNK /PHP /PRC /PRD	S TW000007/PNO S TW10018 B/PNK S BIT RATE/PHP (S) DISC/BI S BE/PRC S KOREA, REPUBLIC OF/PRC S PRD=DEC, 30 2000 S 20001230/PRD	PNO PI KWIC PRN PRN
Priority Date, First <b>(1)</b> Priority Number <b>(2)</b> Priority Number, Original	/PRDF /PRN /PRNO	S 20010112/PRDF S AT1996-1779/PRN S AT1112014/PRNO	PRN PRN PRNO, PRAO

**General Search Fields (cont'd)**

Search Field Name	Search Code	Search Examples	Display Codes
Priority Year (1)	/PRY	S 1999/PRY	PRN
Priority Year, First (1)	/PRYF	S 1999/PRYF	PRN
Publication Date (1)	/PD	S 19990108/PRD	PI
Publication Year (1)	/PY	S 2017/PY	PI
Related Application Country	/RLC	S WO/RLC	RLI
Related Application Number	/RLN	S WO1992-US7383/RLN	RLI
Related Application Date (1)	/RLD	S 20010222/RLD	RLI
Related Application Type	/RLT	S PCT APPLICATION/RLT	RLI
Related Application Year (1)	/RLY	S 2017/RLY	RLI
Related Patent Country	/RLPC	S WO/RLC	RLI
Related Patent Date (1)	/RLPD	S 20020117/RLPD	RLI
Related Patent Number	/RLPN	S WO2000034546/RLPN	RLI
Related Patent Year (1)	/RLPY	S 1999/RLPY	RLI
Title (English)*	/TI, /TIEN	S LASER/TI	TI, TIEN
Update Date (1)	/UP	S UP>SEP 2022	UP
Update Date Text (1)	/UPTX	S UPTX=2022	UPTX

- (1) Numeric search field that may be searched using numeric operators or ranges.  
(2) By default, patent numbers, application and priority numbers are displayed in STN Format. To display them in Derwent format, enter SET PATENT DERWENT at an arrow prompt. To reset display to STN Format, enter SET PATENT STN.  
(3) An online thesaurus is available in this field.  
(4) The index terms AB.EQ, CLM.EQ and DETD.EQ are indicating, that the respective text is taken from an equivalent document of the same international patent family. The source is displayed before the respective text field.  
(5) Search with implied (S) proximity is available in this field.

**Super Search Fields**

Enter a super search code to execute a search in one or more fields that may contain the desired information. Super search fields facilitate crossfile and multifile searching. EXPAND may not be used with super search fields. Use EXPAND with the individual field codes instead.

Search Field Name	Search Code	Fields Searched	Search Examples	Display Codes
Application Number Group	/APPS	AP, PRN	S AT1996-1779/APPS	AI, PRAI, APPS
Patent Assignee Group	/PASS	PA, PA.T, PAS, PAN	S SAMSUNG/PASS	PA, PAS, PAN, PASS
Patent Number Group	/PATS	PN, RLPN	S TW2021046687/PATS	PN, RLPN, PATS

## Property Fields<sub>1)</sub>

In TWFULL a numeric search for a specific set of physical properties (/PHP) is available within the full-text fields (TI, AB, DETD, CLM, BI). The numeric values are not displayed as single fields, but highlighted within the hit displays.

Use EXPAND/PHP to search for all available physical properties. A search with the respective field codes will be carried out in all database fields with English text. The /PHP index contains a complete list of codes and related text for all physical properties available for numeric search.

Field Code	Property	Unit	Symbol	Search Examples
/AOS	Amount of substance	Mol	mol	S 10 /AOS
/BIR	Bit Rate	Bit/Second	bit/s	S 8000-10000/BIR
/BIT	Stored Information	Bit	Bit	S BIT > 3 MEGABIT
/CAP	Capacitance	Farad	F	S 1-10 MF/CAP
/CATA	Catalytic Activity	Katal	kat	S 1-1000/CATA
/CDN	Current Density	Ampere/Square Meter	A/m <sup>2</sup>	S CDN>10 A/M**2
/CMOL	Molarity, Molar Concentration	Mol/Liter	mol/L	S UREA/BI (S) 8/CMOL
/CON	Conductance	Siemens	S	S 1S-3/CON
/DB	Decibel	Decibel	dB	S DB>50
/DEG	Degree	Degree	°	S CYLINDER/BI (S) 45/DEG
/DEN (/C)	Density (Mass Concentration)	Kilogram/Cubic Meter	kg/m <sup>3</sup>	S 5E-3-10E-3/DEN
/DEQ	Dose Equivalent	Sievert	Sv	S 100/DEQ
/DOA	Dosage	Milligram/Kilogram/Day	mg/kg/day	S 300/DOA
/DOS (/LD50)	Dosage	Milligram/Kilogram	mg/kg	S DOS>0.8
/DV	Viscosity, dynamic	Pascal * Second	Pa * s	S DV>5000
/ECH (/CHA)	Electric Charge	Coulomb	C	S 0.0001-0.001/ECH
/ECO (/ECND)	Electrical Conductivity	Siemens/Meter	S/m	S ECO>800 S/M (15A) AQUEOUS
/ELC (/ECC)	Electric Current	Ampere	A	S 1-10/ELC
/ELF (/ECF)	Electric Field	Volt/Meter	V/m	S 200/ELF
/ENE	Energy	Joule	J	S HEAT (15A) 4 JOULE - 3000 JOULE /ENE
/ERE (/ERES)	Electrical Resistivity	Ohm * Meter	Ohm * m	S ERE>0.1
/FOR	Force	Newton	N	S 50 N /FOR
/FRE (/F)	Frequency	Hertz	Hz	S OSCILLAT?/BI (S) 1- 3/FRE
/IU	International Unit	none	IU	S IU>1000 (P) VITAMIN A
/KV	Viscosity, kinematic	Square Meter/Second	m <sup>2</sup> /s	S POLYSILOXANE/BI (10A) 2-5000 CST/KV
/LEN (/SIZ)	Length, Size	Meter	m	S 1-4/LEN
/LUME	Luminous Emittance, Illuminance	Lux	lx	S 10-50/LUME
/LUMF	Luminous Flux	Lumen	Lm	S LUMF>1000
/LUMI	Luminous Intensity	Candela	cd	S LUMI<4
/M	Mass	Kilogram	kg	S ALLOY/BI (30A) 1E-10-1E-5/M
/MCH	Mass to Charge Ratio	none	m/z	S MCH=1

Property Fields<sub>1</sub>) (cont'd)

Field Code	Property	Unit	Symbol	Search Examples
/MFD (/MFS)	Magnetic Flux Density	Tesla	T	S MFD>102
/MFR (/MFL)	Mass Flow Rate	Kilogram/Second	kg/s	S MFR<0.1
/MFST	Magnetic Field Strength	Ampere/Meter	A/m	S MFST/PHP
/MM (/MW, /MOM)	Molar Mass	Gram/Mol	g/mol	S 2000-3000 G/MOL/MM
/MOLS	Molality of Substance	Mol/Kilogram	mol/kg	S 01.-10 MOL/KG/MOLS
/MVR	Melt Volume Rate, Melt Flow Rate	none	g/10 min	S 3/MVR
/PER	Percent (Proportionality)	none	%	S POLYMER?/AB (5A) 4/PER
/PHV (/PH)	pH Value	pH	pH	S 7.4-7.6/PHV
/POW (/PW)	Power	Watt	W	S "HG-XE-?" /BI (S) 100-200 WATT/POW
/PPM	Parts per million	Ppm	ppm	S 100 PPM /PPM (10A) ADDITIVE/BI
/PRES (/P)	Pressure	Pascal	Pa	S (VACUUM (5A) DISTILL?)/BI (S) 1000-1100/PRES
/RAD	Radioactivity	Becquerel	Bq	S RAD/PHP
/RES	Electrical Resistance	Ohm	Ohm	S SENSOR /BI (S) 10- 100/RES
/RI	Refractive Index	none		S 3-4/RI
/RSP	Rotational Speed	Revolution/Minute	rpm	S 2 RPM - 100 RPM /RSP (S) ENGINE/BI
/SAR	Area /Surface Area	Square Meter	m <sup>2</sup>	S PLATE/BI (S) 10 M**2 - 100 M**2 /SAR
/SOL (/SLB)	Solubility	Gram/100 gram	g/100 g	S SOL>20 G/100G (5A) WATER
/SSAM	Specific Surface Area, Mass	Square Meter/ Kilogram	m <sup>2</sup> /kg	S 9/SSAM
/STSC	Surface Tension, Spring Constant	Joule /Square Meter	J/m <sup>2</sup>	S 60 J/M**2/STSC
/TCO (/TCND)	Thermal Conductivity	Watt/Meter * Kelvin	W/m * K	S 1/TCO (S) HEAT?
/TEMP (/T)	Temperature	Kelvin	K	S 20-25/TEMP
/TEX	Tex	Gram/Kilometer	g/km	S 1-5/TEX
/TIM	Time	Second	s	S ?INCUB?/BI (10A) 50 S - 150 S /TIM
/VEL (/V)	Velocity	Meter per Second	m/s	S REDUC?/BI (S) 1E-3-5E-3/VEL
/VELA	Velocity, angular	Radian/Second	rad/s	S VELA>10
/VLR	Volumetric Flow Rate	Cubic Meter/Second	m <sup>3</sup> /s	S 1 M**3/S - 2 M**3/S /VLR (S) ABRASIVE
/VOL	Volume	Cubic Meter	m <sup>3</sup>	S 1E-8-2E-8/VOL.EX
/VOLT	Voltage	Volt	V	S BATTERY/BI (10A) 1E-3 V <VOLT<9E-3 V

(1) Exponential format is recommended for the search of particularly high or low values, e.g. 1.8E+7 or 1.8E7 (for 18000000) or 9.2E-8 (for 0.000000092).

## International Patent Classification (/IPC) Thesaurus

The classifications, validity and catchwords for the main headings and subheadings from the current (8th) edition of the WIPO International Patent Classification (IPC) manual are available. The classifications from the previous editions (1-7) are also available as separate thesauri. To EXPAND and SEARCH in the thesauri for editions 1–7, use the field code followed by the edition number, e.g., /IPC2, for the 2nd edition. Catchwords are included only in the thesauri for the 8th, 7th, 6th, and 5th editions.

Code	Content	Examples
ADVANCED (ADV)	Advanced Codes for the Core Level IPC Code	E A61K0006-06+ADVANCED/IPC
ALL	All Associated Terms (BT, SELF, NT, RT)	E C01C003-00+ALL/IPC
BRO (MAN)	Complete Class	E C01C+BRO/IPC
BT	Broader Term (BT, SELF)	E C01F001-00+BT/IPC
CORE (COR)	Core Codes for the Advanced Level IPC Code	E G08C0019-22+CORE/IPC
ED	Complete title of the SELF term and IPC manual edition	E C01F001-00+ED/IPC
HIE	Hierarchy Term (Broader and Narrower Term) (BT, SELF, NT)	E C01B003-00+HIE/IPC
INDEX	Complete title of the SELF term	E C01F001-00+INDEX/IPC
KT	Keyword Term (catchwords) (SELF, KT)	E CYANOGEN+KT/IPC
NEXT	Next Classification	E C01C001-00+NEXT5/IPC
NT	Narrower Terms (SELF, NT)	E C01C+NT/IPC
PREV	Previous Classification	E C01C001-12+PREV10/IPC
RT (SIB)	Related Terms (SELF, RT)	E C01C003-20+RT/IPC
TI	Complete Title of the SELF Term and Broader Terms (BT, SELF)	E C01F001-00+TI/IPC

## ECLA (/EPC) and ICO Thesauri

These thesauri are available in the /EPC search field (for ECLA codes) and /ICO search field (for 'in-computer-only' codes). All relationship codes can be used with both the EXPAND and SEARCH commands.

Relationship Code	Content	Search Examples
ALL	All usually required terms (BT, SELF, CODE, DEF)	E C12M0001-34H2+ALL/EPC
AUTO (1)	Automatic relationship (BT, SELF, CODE, DEF)	E G01J003-443+AUTO/EPC
BT	Broader terms (BT, SELF)	E G01J003-443+BT/EPC
CODE	Classification Code (SELF, CODE)	E SCRAPER BIASING MEANS+CODE/EPC
DEF	Definition (SELF, DEF)	E B65G0045-16+DEF/EPC
HIE	Hierarchy terms (all broader and narrower terms) (BT, SELF, DEF, NT)	E A01B0001+HIE/EPC
KT	Keyword terms (SELF, KT)	E LASER+KT/EPC
MAX	All associated terms	E G01J003-44B+MAX/EPC
NEXT	Next classification within the same class (SELF, NEXT)	E A01B0001-24+NEXT/EPC
NEXT(n)	Next n classification within the same class	E A01B0001-24+NEXT3/EPC
NT	Narrower terms	E G05B0001-04+NT/EPC
PREV	Previous Code within the same class (SELF, PREV)	E G05B0019-418N1+PREV/EPC
PREV(n)	Previous n classifications within the same class	E G05B0019-418N1+PREV2/EPC
TI	Complete Title of the SELF Term and Broader Terms (BT, SELF)	E G05B0001-03+TI/EPC

(1) Automatic Relationship is SET OFF. In case of SET REL ON the result of EXPAND or SEARCH without any relationship code is the same as described for AUTO.



## CPC Thesaurus

This thesaurus is available in the /CPC search field. All relationship codes can be used with both the EXPAND and SEARCH commands.

Relationship Code	Content	Search Examples
ALL	All usually required terms (BT, SELF, CODE, DEF)	E C12M0001-005+ALL/CPC
AUTO (1)	Automatic relationship (BT, SELF, CODE, DEF)	E G01J003-443+AUTO/CPC
BT	Broader terms (BT, SELF)	E G01J0003-443+BT/CPC
CODE	Classification Code (SELF, CODE)	E CARTRIDGES+CODE/CPC
DEF	Definition (SELF, DEF)	E B65G0045-16+DEF/CPC
HIE	Hierarchy terms (all broader and narrower terms) (BT, SELF, DEF, NT)	E A01B0001+HIE/CPC
KT	Keyword terms (SELF, KT)	E LASER+KT/CPC
MAX	All associated terms	E G01J0003-44+MAX/CPC
NEXT	Next classification within the same class (SELF, NEXT)	E A01B0001-24+NEXT/CPC
NEXT(n)	Next n classification within the same class	E A01B0001-24+NEXT3/CPC
NT	Narrower terms	E G05B0001-04+NT/CPC
PREV	Previous Code within the same class (SELF, PREV)	E G05B0019-00+PREV/CPC
PREV(n)	Previous n classifications within the same class	E G05B0019-00+PREV2/CPC
TI	Complete Title of SELF Term and Broader Terms (BT, SELF)	E G05B0001-03+TI/CPC

(1) Automatic Relationship is SET OFF. In case of SET REL ON, the result of EXPAND or SEARCH without any relationship code is the same as described for AUTO.

## DISPLAY and PRINT Formats

Any combination of formats may be used to display or print answers. Multiple codes must be separated by spaces or commas, e.g., D L1 1-5 TI PA. The fields are displayed or printed in the order requested.

The information of the latest publication is displayed by default. To display the content for all levels of the record you can combine all display fields and formats with the qualifier .M except FA, SCAN, and TRIAL.

For displaying a particular publication of a database record, you can simply add for certain display field the kind code to the appropriate display format, e.g. ALL.A. Fields that allow this are indicated by a number (3).

Hit-term highlighting is available for all fields. Highlighting must be ON during SEARCH to use the HIT, KWIC, and OCC formats.

The default display format is STD.M, i.e., all publication levels of one family in the STD format.

Format	Content	Examples
AB (ABS)	Abstract	D TI AB 1-5
ABEN	Abstract (English)	D ABEN
ABZH	Abstract (Chinese)	D ABZH
AG	Agent	D AG
AGZH	Agent (Chinese)	D AGZH
AI (AP) (1)	Application Information	D AI
AN	Accession Number	D L3 AN
CLM	Claims	D CLM
CLMEN	Claims (English)	D CLMEN
CLMZH	Claims (Chinese)	D CLMZH
CLMN (2)	Number of Claims	D CLMN
CPC	Cooperative Patent Classification	D CPC
CPC.TAB	CPC, Tabular	D CPC.TAB
DETD (3)	Detailed Description	D DETD
DETDEN (3)	Detailed Description (English)	D DETDEN
DETDZH	Detailed Description (Chinese)	D DETDZH
DETN (2)	Number of Paragraphs in DETD	D DETN
DT (TC)	Document Type	D DT
ED	Entry Date	D ED
EDP	Entry Date Patent	D EDP
EDTX	Entry Date of Fulltext	D EDTX
EPC	European Patent Classification	D EPC
FA	Field Availability (for all publication levels)	D FA
IC	IPC (format contains ICA, ICI, ICM, ICS)	D IC
ICM	IPC, Main	D ICM
ICO	In-Computer-only Classification	D ICO
ICS	IPC, Secondary	D ICS
IN (AU)	Inventor	D IN
INZH	Inventor (Chinese)	D INZH
IN.CNY	Inventor, Country	D IN.CNY
IPCI	IPC, Initial	D IPCI
IPCR	IPC, Reclassified	D IPCR
KT	Key Terms	D KT
LA	Language	D LA
LAF	Language of Filing	D LAF
MCLM	Main Claim	D MCLM
MCLMEN	Main Claim (English)	D MCLMEN
MCLMZH	Main Claim (Chinese)	D MCLMZH
PA (CS)	Patent Assignee (English)	D PA
PAZH	Patent Assignee (Chinese)	D PAZH
PA.CNY	Patent Assignee, Country	D PA.CNY
PAN	Patent Applicant Normalized	D PAN
PAS	Patent Applicant Standardized	D PAS

**DISPLAY and PRINT Formats (cont'd)**

<b>Format</b>	<b>Content</b>	<b>Examples</b>
PI (PN, PATS) (1) PNO PRN (PRAI) (1,5) PRNO (PRAO) (2) RLI (RLN) TIEN TIZH UP UPTX	Patent Information Patent Number, Original Format Priority Information Priority Number, Original Format Related Patent Information Title (English) Title (Chinese) Update Date Update Date Text	D PI D PNO D PRN D PRNO D RLI D TI D TIZH D UP D UPTX
ALL (1)  ALLG ALLO  IALL (1) IALLG DALL (1) APPS (1) BIB (1)  BIBG BIBO  IBIB (1) IBIBG BRIEF (1)  BRIEFG BRIEFO  IBRIEF (1) IBRIEFG IND IPC IPC.TAB CPC.TAB MAX (ALL.M) (1)  MAXG MAXO (ALLO.M)	AN, EDP, ED, UP, EDTX, UPTX, DED, DUPD, TIEN, IN, PA, PAS, PAN, AG, LAF, LA, DT, PI or PNO (only if no PI), PIT, AI or APO (only if no AI), RLI, PRAI or PRAO (only if no PRAI), RLPI, RLI, ICM, ICS, IPCI, IPCR, CPC, ABEN, DETDEN, CLMEN, KT  ALL, plus graphic image AN, ED, UP, EDTX, UPTX, DED, DUPD, TIEN, TIZH, IN, INZH, PA, PAZH, PAS, PAN, AG, AGZH, LAF, LA, DT, PI, PIT, AI or APO (only if no AI), PRAI or PRAO (only if no PRAI), RLPI, RLI, ICM, ICS, IPCI, IPCR, CPC, EPC, ICO, ABEN, ABZH, DETDEN, DETDZH, CLMEN, CLMZH, KT  ALL, indented with text labels IALL, plus graphic image ALL, delimited for post processing AI, RLN, PRAI AN, EDP, ED, EDTX, UP, UPTX, DED, DUPD, TIEN, IN, PA, PAS, PAN, AG, LAF, LA, DT, PI, PIT, AI or APO (only if no AI), PRAI or PRAO (only if no PRAI), RLPI, RLI  BIB, plus graphic image AN, EDP, ED, UP, EDTX, UPTX, DED, DUPD, TIEN, TIZH, IN, INTH, PA, PAZH, PAS, PAN, AG, AGZH, LAF, LA, DT, PI, PIT, AI or APO (only if no AI), PRAI or PRAO (only if no PRAI), RLPI, RLI  BIB, indented with text labels IBIB, plus graphic image AN, EDP, ED, EDTX, UP, UPTX, DED, DUPD, TIEN, IN, PA, PAS, PAN, AG, LAF, LA, DT, PI, PIT, AI or APO (only if no AI), PRAI or PRAO (only if no PRAI), RLPI, RLI, ICM, ICS, IPCI, IPCR, CPC, EPC, ICO, ABEN, MCLMEN, KT  BRIEF, plus graphic image AN, EDP, ED, UP, EDTX, UPTX, DED, DUPD, TIEN, TIZH, IN, INZH, PA, PAZH, PAS, PAN, AG, AGZH, LAF, LA, DT, PI, PIT, AI or APO (only if no AI), PRAI or PRAO (only if no PRAI), RLPI, RLI, ICM, ICS, IPCI, IPCR, CPC, EPC, ICO, ABEN, ABZH, MCLMEN, MCLMZH, KT  BRIEF, indented with text labels IBRIEF, plus graphic image ED, IPC (ICM, ICS, IPCI, IPCR), CPC, EPC, ICO International Patent Classification (ICM, ICS, IPCI, IPCR) IPC, IPC.KW, IPC.VER, in tabular version CPC, in tabular version AN, EPD, ED, EDTX, UP, UPTX, DED, DUPD, TIEN, IN, PA, PAS, PAN, AG, LAF, LA, DT, PI, PIT, AI or APO (only if no AI), PRAI or PRAO (only if no PRAI), RLPI, RLI, ICM, ICS, IPCI, IPCR, CPC, EPC, ICO, ABEN, DETDEN, CLMEN, KT, FA for all levels of publication  MAX, plus graphic image AN, EDP, ED, UP, EDTX, UPTX, DED, DUPD, TIEN, TIZH, IN, INZH, PA, PAZH, PAS, PAN, AG, AGZH, LAF, LA, DT, PI, PIT, AI or APO (only if no AI), PRAI or PRAO (only if no PRAI), RLPI, RLI, ICM, ICS, IPCI, IPCR, CPC, EPC, ICO, ABEN, ABZH, DETDEN, DETDZH, CLMEN, CLMZH, KT	D ALL  D ALLG D ALLO  D IALL D IALLG D DALL D APPS D BIB  D BIBG D BIBO  D IBIB D IBIBG D BRIEF  D BRIEFG D BRIEFO  D IBRIEF D IBRIEFG D IND D IPC D IPC.TAB D CPC.TAB D MAX  D MAXG D MAXO

## DISPLAY and PRINT Formats (cont'd)

Format	Content	Examples
IMAX (IALL.M) (1) IMAXG SCAN (4) STD (1)	MAX, indented with text labels IMAX, plus graphic image TI (random display without answer numbers) AN, EDP, ED, EDTX, UP, UPTX, DED, DUPD, TIEN, IN, PA, PAS, PAN, AG, LAF, LA, DT, PI, PIT, AI or APO (only if no AI), PRAI or PRAO (only if no PRAI), RLPI, RLI, ICM, ICS, IPCI, IPCR, CPC, EPC, ICO (STD.M is default)	D IMAX D IMAXG D SCAN D STD
ISTD (1) TRIAL (TRI, SAM, SAMPLE, FREE) TX	STD, indented with text labels ED, EDTX, UP, UPTX, TIEN, FA, DETN, CLMN  DETDEN, CLMEN	D ISTD D TRIAL  D TX
HIT KWIC OCC	Hit term(s) and field(s) Up to 50 words before and after hit term(s) (KeyWord-In-Context) Number of occurrences of hit term(s) and field(s) in which they occur	D HIT D KWIC D OCC

- (1) By default, patent numbers, application and priority numbers are displayed in STN Format. To display them in Derwent format, enter SET PATENT DERWENT at an arrow prompt. To reset display to STN Format, enter SET PATENT STN.
- (2) Custom display only.
- (3) You can combine this display field with the qualifier .PK (Patent Kind Code) to display the content for a certain publication level of a record, e.g. CLM.B2.
- (4) SCAN must be specified on the command line, i.e., D SCAN or DISPLAY SCAN.
- (5) If priority information is not available for a certain document, this information is taken from the application information of this document and marked with an asterisk (\*).

## SELECT, ANALYZE, and SORT Fields

The SELECT command is used to create E-numbers containing terms taken from the specified field(s) in an answer set.

The ANALYZE command is used to create an L-number containing terms taken from the specified field(s) in an answer set.

The SORT command is used to rearrange the search results in either alphabetic or numeric order of the specified field(s).

You can combine all fields except FA with the qualifier .M to SELECT/ANALYZE the content of all publication levels.

Field Name	Field Code	ANALYZE/ SELECT (1)	SORT
Accession Number	AN	Y	Y
Agent	AG	Y	Y
Application Country	AC	Y	Y
Application Date	AD	Y	Y
Application Information	AI (AP, APPS)	Y (2)	Y
Application Kind Code	AK	Y	Y
Application Number, Original	APO	Y	N
Application Year	AY	Y	Y
CPC Classification	CPC	Y	Y
Document Type	DT (TC)	Y	Y
Entry Date	ED	Y	Y
Entry Date Full-Text	EDTX	Y	Y
EPC	EPC	Y	Y
Field Availability	FA	Y	N
ICO	ICO	Y	Y
International Patent Classification	IC	Y	N
Inventor	IN (AU)	Y	Y
Inventor, Country	IN.CNY	Y	Y
IPC (ICM, ICS, IPCI, IPCR)	IPC	Y	Y
IPC, Advanced Level Symbols	IPC.A	Y	Y
IPC, Advanced Level Symbols for Invention	IPC.AI	Y (3)	N
IPC, Initial	IPCI	Y	Y
IPC, Main	ICM	Y	Y
IPC, Reclassified	IPCR	Y	Y
IPC, Reform	IPC.REF	Y	N
IPC, Secondary	ICS	Y	Y
Key Terms	KT	Y	N
Language	LA	Y	Y
Language of Filing	LAF	Y	Y
Number of Paragraphs in DETD	DETN	N	Y
Occurrence Count of Hit Terms	OCC	N	Y
Patent Assignee	PA (CS)	Y	Y
Patent Assignee, Country	PA.CNY	Y	Y
Patent Applicant Normalized	PAN	Y	Y
Patent Applicant Standardized	PAS	Y	Y
Patent Country	PC	Y	Y
Patent Information Publication Type	PIT	Y	Y
Patent Kind Code	PK	Y	Y
Patent Number	PI (PN, PATS)	Y (default)	Y
Patent Number, Original	PNO	Y	Y
Patent Number/Kind Code	PNK	Y	Y
Pre-IPC8 Symbols from ICM and first IPC8 values from 2006-present	IPC.F	Y (3)	Y

**SELECT, ANALYZE, and SORT Fields (cont'd)**

Field Name	Field Code	ANALYZE/ SELECT (1)	SORT
Priority Country	PRC	Y	Y
Priority Date	PRD	Y	Y
Priority Date, First	PRDF	Y	Y
Priority Number	PRN (PRAI)	Y	Y
Priority Number, Original	PRNO	Y	Y
Priority Year	PRY	Y	Y
Priority Year, First	PRYF	Y	Y
Publication Date	PD	Y	Y
Publication Year	PY	Y	Y
Related Patent Country	RLC	Y	Y
Related Application Number	RLN	Y	Y
Related Application Date	RLD	Y	Y
Related Application Type	RLT	Y	Y
Related Application Year	RLY	Y	Y
Related Patent Date	RLPD	Y	Y
Related Patent Number	RLPN	Y	Y
Related Patent Year	RLPY	Y	Y
Title	TIEN	Y	Y
Update Date	UP	Y	Y
Update Date Text	UPTX	Y	Y

- (1) HIT may be used to restrict terms extracted to terms that match the search expression used to create the answer set, e.g., SEL HIT TI.  
(2) Selects or analyzes application numbers with /AP appended to the terms created by SELECT.  
(3) Appends /IPC to the terms created by SELECT.

**Sample Records****DISPLAY BIB**

L23 ANSWER 1 OF 1 TWFULL COPYRIGHT 2022 LNU on STN.  
AN **1992812** TWFULL EDP 20221013 ED 20221013 UP 20221027 EDTX 20221013  
DED 20210906 DUPD 20220830  
TIEN Steering link mechanism for inclinable vehicle  
TIZH 用於可傾車輛的轉向  
連桿機構  
IN YU RUN-XIANG, TW  
PA KWANG YANG MOTOR CO, TW  
PAS KWANG YANG MOTOR  
PAN KWANG YANG MOTOR  
LAF English  
LA Chinese  
DT Patent; Utility Model; (Fulltext)  
PI **TW M616179** U U 20210901  
PIT TWU REGISTERED UTILITY MODEL OR UTILITY MODEL OF ADDITION [FROM 19500101  
ONWARDS]  
AI **TW 2020-213256** 20201008  
PRAI **TW 2020-213256** 20201008

## DISPLAY ISTD.M

L24 ANSWER 1 OF 9 TWFULL COPYRIGHT 2022 LNU on STN.

ACCESSION NUMBER: 1975965 TWFULL  
ENTRY DATE PATENT: 20221013  
ENTRY DATE: 20221013  
UPDATE DATE: 20221027  
ENTRY DATE (FULLTEXT): 20221013  
DATA ENTRY DATE: 20220318  
DATA UPDATE DATE: 20221011  
TITLE (ENGLISH): APPARATUSES WITH MOVABLE PANELS TO SUPPORT ELECTRONIC  
MODULES  
TITLE (CHINESE): 具有可移動面板  
以支撐電子模組  
之設備  
INVENTOR(S): SU, VICTOR  
PATENT APPLICANT(S): HEWLETT-PACKARD DEVELOPMENT COMPANY, L.P., 10300 ENERGY  
DRIVE, SPRING, TEXAS 77389, U.S.A. (US)  
PATENT APPL. STANDARD.: HEWLETT PACKARD DEVELOPMENT  
PATENT APPL. NORMAL.: HEWLETT PACKARD  
LANGUAGE OF FILING: English  
LANGUAGE OF PUBL.: Chinese  
DOCUMENT TYPE: Patent; (Fulltext)  
PATENT INFORMATION: TW 2022007777 A 20220216  
PATENT INFO. TYPE: TWA LAID OPEN APPLICATION FOR PATENT OR PATENT OF  
ADDITION [FROM 20030501 ONWARDS]  
APPLICATION INFO.: TW 2021-110446 20210323  
PRIORITY INFO.: WO 2020-US44618 20200731  
RELATED PATENT INFO.: WO 2022025931 20220203  
RELATED DOC. INFO.: WO 2020-US44618 20200731 PCT  
Application  
IPC ORIGINAL: H05K0007-12 [I,A]; G06F0001-16 [I,A]  
CPC CLASSIF.: G06F0001-185

ACCESSION NUMBER: 1975965 TWFULL  
ENTRY DATE PATENT: 20221013  
ENTRY DATE: 20221024  
UPDATE DATE: 20221027  
ENTRY DATE (FULLTEXT): 20221024  
DATA ENTRY DATE: 20220725  
DATA UPDATE DATE: 20221013

**TWFULL**

TITLE (ENGLISH): APPARATUSES WITH MOVABLE PANELS TO SUPPORT ELECTRONIC  
MODULES

TITLE (CHINESE): 具有可移動面板  
以支撐電子模組  
之設備

INVENTOR(S): SU VICTOR, TW

PATENT APPLICANT(S): HEWLETT PACKARD DEVELOPMENT COMPANY L P, **US**

PATENT APPL. STANDARD.: HEWLETT PACKARD DEVELOPMENT COMPANY L P

LANGUAGE OF FILING: English

LANGUAGE OF PUBL.: Chinese

DOCUMENT TYPE: Patent; (Fulltext)

PATENT INFORMATION: **TW I771958** **B** 20220721

PATENT INFO. TYPE: TWB GRANTED PATENT OR PATENT OF ADDITION [FROM 19500101  
ONWARDS]

APPLICATION INFO.: **TW 2021-110446** A 20210323

PRIORITY INFO.: **WO 2020-US44618** 20200731

RELATED PATENT INFO.: **WO 2022025931** 20220203

RELATED DOC. INFO.: **WO 2020-US44618** 20200731 PCT  
Application

IPC RECLASSIF.: H05K0007-12 [I,A]; G06F0001-16 [I,A]

CPC CLASSIF.: G06F0001-185

**DISPLAY ALL (STN format)**

L25 ANSWER 1 OF 1515 TWFULL COPYRIGHT 2022 LNU on STN.

AN 1996908 TWFULL EDP 20221013 ED 20221013 UP 20221027 EDTX 20221013  
DED 20211129 DUPD 20220423

TIEN Direction control device for electric mobility scooter

TIZH 電動代步車之方向控  
制裝置

IN LIU, CHIH-YUAN

PA SHANG TIAN ENERGY SERVICE CO.,LTD.

PAS SHANG TIAN ENERGY SERVICE

AGZH 黃世瑋

LAF English

LA Chinese

DT Patent; Utility Model; (Fulltext)

PI **TW M620083** U **U** 20211121

PIT TWU REGISTERED UTILITY MODEL OR UTILITY MODEL OF ADDITION [FROM 19500101  
ONWARDS]

AI **TW 2021-208628** 20210722

PRAI **TW 2021-208628** 20210722

IPCR B60R0016-027 [I,A]



ABEN

Machine translation

The direction control device of the electric scooter comprises a controller, wherein the direction control device of the electric scooter is movably arranged on the electric scooter and can be used for controlling the steering direction of the electric scooter.

DETDEN

TECHNICAL SCOPE

[DESC0001] This creation is about the direction control device of an electric scooter.

PREVIOUS TECHNOLOGY

[DESC0002] It is often impossible to move long distances, and people who need assistance to move out of the house will use electric scooters to move. The electric scooter consists of two handlebars located on opposite sides and can be controlled by the faucet steering, and the user can turn the handlebar to drive the electric scooter forward. However, in the past, by continuously rotating the handlebar to drive the scooter, it was more difficult and easy to feel the scab for those with better physical strength to maintain the rotation for a long time, and then the two hands held the second handlebar before pushing or pulling back to turn, and the range of movement of the hand was not large and easy to squeeze.

[DESC0003] Therefore, it is necessary to provide a new and progressive direction control device for electric scooters to solve the above

...

CLMEN

[CLM0001] An electric scooter direction control device, the electric scooter comprises a controller, the direction control device of the electric scooter comprising:

A steering wheel for the rotating electric scooter and can be used to control the steering of the electric scooter, the steering wheel comprises a top side and a bottom side of the opposite side of the top side, the bottom side for the group to connect to the electric scooter; and

Two toggles, the two toggles are respectively located in the steering wheel, respectively connected to the controller, wherein one of the toggles may drive the electric scooter forward, the other of the toggles may drive the electric scooter backwards, each of which may be dialed in the direction of the top side or to be dialed in the direction of the bottom side.

[CLM0002] The direction control device of the electric scooter as

....

KT

electric scooter; steering wheel; request item; steering light control; steering direction; warning light control; warning sound control; steering shaft; high beam opening; forward push; labor-saving compression; control area; connecting end; remote light control; warning lamp control; local enlarged view; thumb press; oscillating block; steering axle; faucet steering; swing block; power prompt signal; turn direction light; vehicle condition; functional control; speed control; high beam control; deceleration control; light signal; radial extension

**In North America**

CAS Customer Center  
P.O. Box 3012  
Columbus, Ohio 43210-0012  
U.S.A.

Phone: 800-753-4227 (North America)  
614-447-3731 (worldwide)  
Email: [help@cas.org](mailto:help@cas.org)  
Internet: [www.cas.org](http://www.cas.org)

**In EMEA**

CAS Customer Center EMEA  
(represented by FIZ Karlsruhe)  
P.O. Box 2465  
76012 Karlsruhe  
Germany

Phone: +49-7247-808-555  
E-mail: [EMEAhelp@cas.org](mailto:EMEAhelp@cas.org)

**In Japan**

JAICI (Japan Association for  
International Chemical Information)  
Nakai Building  
6-25-4 Honkomagome, Bunkyo-ku  
Tokyo 113-0021  
Japan

Phone: +81-3-5978-3601 (Technical Service)  
+81-3-5978-3621 (Customer Service)  
Email: [support@jaici.or.jp](mailto:support@jaici.or.jp) (Technical Service)  
[customer@jaici.or.jp](mailto:customer@jaici.or.jp) (Customer Service)  
Internet: [www.jaici.or.jp](http://www.jaici.or.jp)